

**Oakio Plastic Wood Building
Materials Co.,Ltd.**

36th floor, Building 3, Huamao Building, No.11
Wenchang 1st Road, Huizhou, Guangdong, China
Tel: +86 (752) 2222-845
Web: www.oakio.com
Email: info@oakio.com

FIND US ON



For more information, visit www.oakio.com

DESIGNED FOR LIVING
BUILT TO LAST

Manufacturer of Eco-Friendly Wood Plastic Composites Product



Wood Plastic Composite

Table of Contents

Discover More

02-04 Who We Are
05-06 Collection

Products

07-12 Iniwood Decking
13-20 Proshield Decking
21-28 Matshield Decking
29-36 Elashield Decking
37-38 Clips and Fascia & Joist
39-40 Pedestal
41-46 Iniwood Cladding
47-52 Proshield Cladding
54 Fixing Methods

DECKING

Designed for living Built to last

Oakio® WPC products have the look and feel of traditional wood, with the added strength, durability and sustainability of a composite material

We Know WPC !

Oakio® WPC is backed by 15-year limited residential warranty on Iniwood Collection and 25-year limited residential warranty on Proshield, Matshield and Elashield Collection. That is how we fulfill our mission of delivering products to help you create the most enduring, durable and enjoyable outdoor living spaces. We are also proud of our continuous conservation and sustainability efforts. Oakio® WPC is made from up to 95 percent recycled materials, saving tens of thousands of trees each year. Oakio® is the industry leader in high-performance wood plastic composite building materials.



Proshield Collection



Iniwood Collection

 Designed in USA

 Made in China



Environmental Philosophy

Oakio® has always been at the forefront of the green building industry and since our inception in 2009, we have been consistently improving our commitments to the environment.



FSC

Forest Stewardship Council - FSC certification ensures that products come from responsibly managed forests that provide environmental, social and economic benefits. FSC products are optional, standard products are not made by FSC.



LEED

Qualified for LEED Points, up to 95% of the raw materials used to manufacture Oakio® products are sourced within 300 km of our manufacturing facility.



REACH

Oakio® products are all REACH certified which indicates conformity with health, safety and environmental protection standards for products sold within the European Economic Area.



ISO

Our ISO9001 and ISO14001 certification guarantees that our clients get only the best products and service and that the quality of what we offer is constantly and consistently improved.



CE

Oakio® products are all CE certified which indicates conformity with health, safety, and environmental protection standards for products sold within the European Economic Area.

Let's build to last

Craft your WPC products as beautiful and lasting as the memories you'll create on it.

Board-To-Board Colour Variations and touch different

At Oakio® we go to extensive lengths to make our products reflect all of the beauty and nuance of nature. Some of our collections include solid colours while others bear subtle to more pronounced highlights to closely resemble the characteristics of real wood. This intended effect is known as colour variegation. To achieve this, we use various pigments and stains to replicate the features found in traditional lumber. The degree of variegation will vary from board to board. For co extrusion products, we create different surface treatment, which includes thicker cap, soft cap, matte surface, strengthen scratch resistant and so on.

Iniwood Collection

The first generation of wood plastic composite (WPC) products. The result is a dense, heavy, and weather resistant products that won't splinter, warp, rot, or split. High quality hard wood fiber (Oak wood) and high density PE resin are the main raw material. Iniwood comes with solid colour, and apart from that, we create 3D embossing wood grain, which makes the colour variegated as well.

Proshield Collection

This is the second generation of WPC products. Designed to reflect the true tones of natural wood, this is our most uniquely variegated line which includes cascading colours. The artisanal, hand-scraped texture has a refined appearance matched with the most advanced design technology available.

Elashield Collection

Elashield is known to elastic surface, the 3rd generation of composite decking. This distinctive, contemporary design brings the hardwood look of a home's inside to the outside. It is perfect for your swimming pool decking! Anti-static treatment is available for Elashield decking! An anti-static decking contains a conductive material that accumulates static.


Matshield Collection

Matshield is the brand new technology that brings you matte surface of outdoor decking. What is more, it is fire resistant product, which stands out from the crowd. It is fire resistant to Class B according to En13501, the highest fire resistant level for composite materials in the world at the moment. The standard includes seven classification levels, from A1 to F, with A1 representing the highest level of performance and F representing the lowest level.

What is the difference?

Iniwood

- No cap protected**
available in 3D wood grain with variegated colour
- All in same colour**
All the boards are in the same, so you will see the same colour in each section
- Strengthened core material**
High quality hard wood fiber (Oak wood) and high density PE resin were used



Proshield

- Capped by golf ball material**
0.5-0.8mm capped, available for 12 variegated colours
- 4 sided capped board**
Protects completely against moisture, mildew, and rot. Backside is protected
- Strengthened core material**
High quality hard wood fiber(Oak wood) and high density PE resin were used.



Matshield

- Capped by matte engineering plastic**
0.5-0.8mm capped, matte surface and real wood colour. It is fire resistant!
- 4 sided capped board**
Protects completely against moisture, mildew, and rot. Backside is protected
- Strengthened core material**
High quality hard wood fiber(Oak wood) and high density PE resin were used.



Elashield

- Capped by thick and soft engineering plastic**
Up to 2mm capped, the surface is elastic and ultra slip resistant
- 4 sided capped board**
Protects completely against moisture, mildew, and rot. Backside is protected
- Strengthened core material**
High quality hard wood fiber(Oak wood) and high density PE resin were used.



Oakio® WPC products is extremely dimensionally stable but planks will experience expansion and contraction with changes in temperature.

Expansion and contraction are most significant where extreme temperature changes occur.

Changes in length are most significant during the installation process, and should be taken into account if working in extreme temperatures.

	Iniwood collection	Proshield collection	Matshield collection	Elashield collection
Application	Decking, Fence, Railing, Cladding	Decking, Fence, Railing, Cladding	Decking, Cladding	Decking, Fence, Railing, Cladding
Slip resistant	★★★★☆	★★★★☆	★★★★☆	★★★★★
Stain resistant	★★★☆☆	★★★★★	★★★★★	★★★★★
Mold resistant	★★★☆☆	★★★★★	★★★★★	★★★★★
Scratch resistant	★★★★☆	★★★★☆	★★★★★	★★★☆☆
UV resistant	★★★☆☆	★★★★★	★★★★★	★★★★★
Static electricity resistant	—	—	—	✓
Sound absorption	—	—	—	✓
Water proof	★★★★☆	★★★★★	★★★★★	★★★★★
Fire resistant	Optional	Optional	Highest FR level of WPC. Custom made only: En13501 result in Bfl-S1-D0	—
Warranty	15-year residential	25-year residential	25-year residential	25-year residential
Prices	★★★★☆	★★★★☆	★★★★★	★★★★★

Iniwood Collection



Oakio® Iniwood round hollow decking in plateau colour

Iniwood Collection

Iniwood products are made with a durable composite that stands up to extreme weather conditions and everyday use. More solid under foot for added safety. The composition of Iniwood is 35% of resin, 55% of oak wood fiber and 10% of additive.

- Never have to be sealed, stained or painted
- Weather-resistant and outperform wood alternatives
- With no need to maintain or replace
- Splinters free and crack resistant
- No issues with warping
- 15 years residential warranty



Iniwood decking profile options


Oakio provides wide range of decking, from hollow to solid, from residential to commercial. What kind of decking do you like?

Profile Choices



IPD01

Size: 147x21 mm
Joist span: 300 mm
Application: Residential use



IPD02

Size: 143x22 mm
Joist span: 350 mm
Application: Residential use




IPD03

Size: 140x20 mm
Joist span: 400 mm
Application: Commercial use



IPD05

Size: 140x25 mm
Joist span: 300 mm
Application: Residential use



IPD07

Size: 145x24 mm
Joist span: 350 mm
Application: Residential use



IPD85

Size: 140x23 mm
Joist span: 350 mm
Application: Commercial use

Add-in Options

The above profiles, colours and textures are our standard ones, while Oakio provides fully customization, contact Oakio for more at www.oakio.com.

Iniwood decking colour and finisher options

These wood composite collections combine beauty and function. What kind of finishers and colour do you like?

Colour Choices

Solid colour: A single colour without discrete markings



Glacier

Code: IC01

Dune

Code: IC02

Cliff

Code: IC03



Mist

Code: IC04

Canyon

Code: IC05

Plateau

Code: IC06

Variegated colour: Discrete markings of different colours



Smoke White

Code: ICV01

Sunglow

Code: ICV05

Lava

Code: ICV09

Elegant wood looks in 9 stunning colours are available. Mother nature has an incredibly diverse colour palette so we went to great lengths to make sure our colours really reflect the world around us. A courtyard with Iniwood can create a polished, high-performance outdoor living space that elevates the overall look of your home.

Magnificently durable Iniwood Textures

Iniwood in its aesthetics and resilient in its wear, Iniwood is available in a variety of different finish option that incorporate Iniwood wood grain textures and mimic the look and feel of exotic hardwoods. These beautifully natural textures offer effortless cleaning, complete ease of maintenance and the most advanced moisture, fade resistance technology available today.

Texture Options



IW01

IW02



IWW01

IWW02



IWW03

IWW04

Proshield Collection



Oakio® Proshield circle hollow decking in westminster colour

Proshield Collection

The second generation of wood plastic composite (WPC), made by co extrusion. This value-added feature ensures our boards are in perfect condition when they arrive on-site.

The cap is actually the same material of golf ball, the core are Iniwood materials. That is why Proshield is the second generation of Iniwood.

More of the co extrusion decking in the market is made by PE for the cap only, which is not as stable as Proshield cap.

- All the advantages of Iniwood and more
- Features a variety of unique variegated colour and wood grain patterns
- Ultra durable
- No stains, fades, mold or mildew
- Increased scratch resistance
- 25 years residential warranty



Extremely Durable

Traditional wood decking will be affected by insects and mold inevitably after long-term usage. Never will it happen on Oakio® Proshield decking because we create a shield with golf ball material around core to protect the decking from UV, scratching and termite.

The shield and core are extruded together under a very high temperature mould simultaneously, so there are no adhesives or chemicals that will do harm to the environment. Oakio® can accompany you to create perfect outdoor stories with long service time and comes with a 25-year warranty.



Proshield decking profile options

Oakio provides wide range of decking, from hollow to solid, from residential to commercial. What kind of decking do you like?

Profile Choices



PPD01

Size: 143x22.5 mm
Joist span: 350 mm
Application: Residential use



PPD02

Size: 140x22.5 mm
Joist span: 350 mm
Application: Residential use




PPD03

Size: 143x21.5 mm
Joist span: 400 mm
Application: Commercial use



PPD04

Size: 138x22.5 mm
Joist span: 350 mm
Application: Residential use



PPD25

Size: 140x23 mm
Joist span: 350 mm
Application: Commercial use



PPD28

Size: 190x20 mm
Joist span: 400 mm
Application: Commercial use



We have wrapped the exterior with our golf coating, which allows us to emboss both sides differently so that consumers can really determine their own aesthetic. When you scrutinize the surface of Proshield decking, you will find some tiny softened splinters on it. That's how we went to great lengths to make sure our colours and texture really reflect the beauty and essence of organic matter.

Proshield decking colour and finisher choices

These wood composite collections combine beauty and function. What kind of finishers and colour do you like?

Colour Choices



Parthenon

Code: PC01



Angkor

Code: PC02



Petra

Code: PC03



Westminster

Code: PC04



Black Beach

Code: PC05



Chichen Itza

Code: PC06



Taj Mahal

Code: PC07



Lake Baikal

Code: PC08



Colosseum

Code: PC09



Pyramids

Code: PC10



Valensole

Code: PC11



Potala Palace

Code: PC12


Magnificently durable Proshield Textures

Proshield in its aesthetics and resilient in its wear, available in a variety of different texture options that incorporate Proshield wood grain textures and mimic the look and feel of exotic hardwoods. These beautifully natural textures offer effortless cleaning, complete ease-of-maintenance and the most advanced moisture, fade resistance technology available today. What is more, anti-microbial properties make all surfaces germ resistant and hygienic, plus their slip resistance make them barefoot friendly and safe for the whole family.


Texture Options



PW01




PW03



PW04



PW05



PW06



PW07



Oakio® Proshield circle hollow decking in westminster colour



Oakio® Proshield circle hollow decking in parthenon colour



Oakio® Proshield solid decking in Petra colour

Matshield Collection

Oakio® Matshield circle hollow decking in walnut colour



Matshield Collection

Matshield is the brand new technology that brings you matte surface of outdoor decking. What is more, it is fire resistant product, which stands out from the crowd. As a result, Matshield achieves superior fire resistance to any other co-extruded decking on the market.

It is fire resistant to Class B according to En13501, the highest fire resistant level for composite materials in the world at the moment. The standard includes seven classification levels, from A1 to F, with A1 representing the highest level of performance and F representing the lowest level.


Matshield achieves Class B. It is colour fade resistant, strength load resistant, stain resistant and also highly slip resistant.

- All the advantages of Iniwood and more
- Fire resistant to Class B according to Europe standard
- Ultra scratch resistant
- Matte surface with luxury hard wood appearance
- No stains, fades, mold or mildew
- 25 years residential warranty




Most Fire-resistant

Fire-resistance level of Matshield decking reaches Class Bfl-S1-D0 according to European standard EN13501, the fire test to building material. Class B is the highest level wood plastic composite decking can reach. Environmentally friendly fire retardant is carefully selected and added while the shield and core are extruded together.



Extremely Scratch-resistant

High performance in scratch resistance, Matshield decking is much harder than any other decking on the market to prevent scratch, no burden on regular maintenance.



Matshield decking profile and colour options

Matshield is inspired by the exquisite Colours found in nature. A remarkable range of shades, tones and textures can complement any living space.

Profile Choices



MPD01

Size: 140x22 mm
Joist span: 400 mm
Application: Commercial use



MPD02

Size: 139x23 mm
Joist span: 350 mm
Application: Residential use

Colour Choices



Pomegranate

Code: MC01



Walnut

Code: MC02



Panther

Code: MC03



Whale

Code: MC04



Goral

Code: MC05




Cinnamon

Code: MC06


Matshield decking texture options

These beautifully natural textures offer effortless cleaning, complete ease-of-maintenance and the most advanced moisture, fade resistance technology available today. What is more, anti-microbial properties make all surfaces germ resistant and hygienic, plus their slip resistance make them barefoot friendly and safe for the whole family.

Texture Options



MW01



MW02

Add-in Options

The above profiles, colours and textures are our standard ones, while Oakio provides fully customization, contact Oakio for more at www.oakio.com.



Oakio® Matshield circle hollow decking in panther colour

Elashield Collection



Oakio® Elashield circle hollow decking in plum wine colour

Elashield Collection

Elashield technology is the 3rd generation of wood plastic composite (WPC). We are the only in the world who makes this type of products. It is excellent for swimming pool decking.

Elashield is known to elastic surface, the 3rd generation of composite decking. This distinctive, contemporary design brings the hardwood look of a home's inside to the outside.

Anti-static treatment is available for Elashield decking! An anti-static decking contains a conductive material that accumulates static. They are particularly useful if the decking was installed in the dry area during the winter.

- All the advantages of Iniwood and more
- Soft surface, slip resistant and optimizes foot touching
- Anti-static available
- No stains, fades, mold or mildew
- A mute deck material - Thick cap protection
- 25 years residential warranty



Much Thicker Cap Protection


The 1.5-2mm 360° co-extrusion layer makes the decking surface softer with noise reduction function and slip-resistance, so it is the best choice for swimming pool and corridor. You can find serenity in your surrounding with Oakio® Elashield decking.



Optional Anti-static Treatment

Anti-static treatment is available for Elashield decking by adding conductive materials that can collect static electricity in production process. These materials have met European standards and are completely harmless to human body. This is particularly useful in dry area during winter.


We have created a product that's durable and versatile. It takes every preconceived notion you have about composite decking and blows it out of the water.



Elashield decking profile and colour options

Elashield is inspired by the exquisite Colours found in nature. A remarkable range of shades, tones and textures can complement any living space.

Profile Choices




EPD03

Size: 140x23 mm
Joist span: 400 mm
Application: Commercial use



EPD04

Size: 140x23 mm
Joist span: 400 mm
Application: Residential use



EPD06

Size: 145x21 mm
Joist span: 350 mm
Application: Residential use



Colour Choices



Mint Julep

Code: EC01



Vermouth

Code: EC02



Sangria

Code: EC03



Pina Colada

Code: EC04



Vodka

Code: EC05



Plum Wine

Code: EC06

Elashield decking color and texture options

Elashield is inspired by the exquisite colors found in nature. A remarkable range of shades, tones and textures can complement any living space.

Texture Options



EW01

EW02

Add-in Options

The above profiles, colours and textures are our standard ones, while Oakio provides fully customization, contact Oakio for more at www.oakio.com.



Oakio® Elashield solid decking in plum wine colour

CLIPS

Oakio® decking is designed for professionals and also perfect for novices. Oakio® clip system enables simplified installation of your deck boards.

Fixing Methods

STARTER CLIPS



Code: AS04



* Material: Stainless steel 304

Expansion clips



Code: AS01



* Material: Stainless steel 304




Code: AS07



* Material: Aluminum



Code: AS10




* Material: Plastic

Fascia & Joist

Oakio® decking is designed for professionals and also perfect for novices. Oakio® clip system enables simplified installation of your deck boards.

Fixing Methods




Iniwood Fascia

Code: IPF01
Size: 71x11 mm



Iniwood Fascia

Code: IPF02
Size: 140x11 mm



Iniwood Fascia

Code: IPF15
Size: 65x65 mm



Proshield Fascia

Code: PPF01
Size: 71x11 mm




Proshield Fascia

Code: PPF02
Size: 140x11 mm



Proshield Fascia

Code: PPF03
Size: 50x50 mm



Elashield Fascia

Code: EPF01
Size: 71x11 mm



Matshield Fascia

Code: MPF01
Size: 71x11 mm



Aluminum Joist

Code: AJ17
Size: 30x40 mm

Pedestal



Oakio® Proshield circle hollow decking in western red cedar


Pedestal

Oakio® adjustable support pads are designed for decking and paving areas where very high clearance from the ground is required, or where minor changes to the final height is needed. Adjustable support pads are easy to use and are the best way to ensure a top quality finish on roofs, balconies and terraces.

Height Choices



* The height of the pedestal ranges from 150 mm to 1420 mm.



Iniwood Cladding Collection



Oakio® Iniwood scallop cladding in smoke white colour

Iniwood Cladding

Iniwood products are made with a durable composite that stands up to extreme weather conditions and everyday use. More solid under foot for added safety. The composition of Iniwood is 35% of resin, 55% of oak wood fiber and 10% of additive.

- Never have to be sealed, stained or painted
- Weather-resistant and outperform wood alternatives
- With no need to maintain or replace
- Splinters free and crack resistant
- No issues with warping
- 15 years residential warranty

Profile Choices



IPC01
Size: 140x20 mm
Joist span: 350mm



IPC02
Size: 174x21 mm
Joist span: 350 mm



IPC04
Size: 156x21 mm
Joist span: 350 mm

Add-in Options

The above profiles, colours and textures are our standard ones, while Oakio provides fully customization, contact Oakio for more at www.oakio.com.

Iniwood cladding colour options

These wood composite collections combine beauty and function. What kind of finishers and colour do you like?

Colour Choices

Solid colour: A single colour without discrete markings



Glacier
Code: IC01



Dune
Code: IC02



Cliff
Code: IC03



Mist
Code: IC04



Canyon
Code: IC05



Plateau
Code: IC06

Variegated colour: Discrete markings of different colours



Smoke White
Code: ICV01



Sunglow
Code: ICV05



Lava
Code: ICV09

Magnificently durable Iniwood Textures

Iniwood in its aesthetics and resilient in its wear, Iniwood is available in a variety of different finish option that incorporate Iniwood wood grain textures and mimic the look and feel of exotic hardwoods. These beautifully natural textures offer effortless cleaning, complete ease of maintenance and the most advanced moisture, fade resistance technology available today.

Texture Options



IW01



IW02



IWV01



IWV02



IWV03



IWV04



Oakio® Iniwood scollop cladding in dune colour

Proshield Cladding

Oakio® Proshield scollop cladding in lake baikal colour



Proshield Cladding

Proshield Collection is the second generation of Iniwood Collection with Iniwood materials(35% plastic resin, 55% oak wood fiber and 10% additive) as the core and golf ball material as the shield.

This means that it has an advanced premium shield encasing on all four sides around its inner core. Unlike most of the co-extrusion cladding on the market, Proshield cladding is capped by golf material instead of only PE.

- All the advantages of Iniwood and more
- Features a variety of unique variegated Colour and wood grain patterns
- Ultra durable
- No stains, fades, mold or mildew
- Increased scratch resistance
- 25 years residential warranty

Profile Choices



PPC01
Size: 140x13 mm
Joist span: 350 mm

PPC02
Size: 156x21 mm
Joist span: 350 mm

PPC10
Size: 176x26 mm
Joist span: 350 mm

Add-in Options

The above profiles, colours and textures are our standard ones, while Oakio provides fully customization, contact Oakio for more at www.oakio.com.

Proshield Colour and finisher options

These beautiful, natural textures offer effortless cleaning, no maintenance and the most advanced moisture and fade resistance technology available.

Colour Choices



Parthenon
Code: PC01



Angkor
Code: PC02



Petra
Code: PC03



Westminster
Code: PC04



Black Beach
Code: PC05



Chichen Itza
Code: PC06



Taj Mahal
Code: PC07



Lake Baikal
Code: PC08



Colosseum
Code: PC09



Pyramids
Code: PC10



Valensole
Code: PC11



Potala Palace
Code: PC12

Magnificently durable Proshield Textures


Proshield in its aesthetics and resilient in its wear, Proshield is available in a variety of different texture options that incorporate Proshield wood grain textures and mimic the look and feel of exotic hardwoods.

These beautifully natural textures offer effortless cleaning, complete ease-of-maintenance and the most advanced moisture, fade resistance technology available today. What is more, anti-microbial properties make all surfaces germ resistant and hygienic, plus their slip resistance make them barefoot friendly and safe for the while family.

Texture Options




PW01




PW03




PW04



PW05



PW06



PW07



Oakio® Proshield solid cladding in westminster colour



Oakio® Proshield scallop cladding in petra colour



Oakio® Proshield solid cladding in westminster colour



Oakio® Iniwood scallop cladding in glacier colour

ACCESSORIES

Fixing Methods

Clips and screws are the main accessories for cladding. Visit www.oakio.com for further information.

Fixing Methods



Code: AM04



Code: AS04



Code: AS13